

Forum

COLORS BOOK

RADICI
CARPET




Latte 2118



Crema 2110



Biondo 2104



Albicocca 2401



Daino 2405



Ambra 2102



Rosso 2130


I colori reali possono variare. Ciò è dovuto all'incongruenza tra diversi monitor.
Actual colors may vary. This is due to computer monitors displaying colors differently.



Rubino 2132



Bisonte 1308



Cacao 2105



Visone 2136



Antilope 2402



Savana 2133



Avena 1302



Nuvola 2124



Riso 1304



Rafia 1305



Fumo 2112



Cardamomo 1301

I colori reali possono variare. Ciò è dovuto all'incongruenza tra diversi monitor.
Actual colors may vary. This is due to computer monitors displaying colors differently.




Fango 1303



Ardesia 2103



Stone 1306



Onice 1307



Navy 2123



Royal 2131



Marino 2121

I colori reali possono variare. Ciò è dovuto all'incongruenza tra diversi monitor.
Actual colors may vary. This is due to computer monitors displaying colors differently.

FORUM

RADICI
CARPET

 EN14041

Specifications in according EN 1307
Tolerances in according Certification QBIUPEC
For QBIUPEC certified characteristics see Website <http://evaluation.cstb.fr>

EMISSIONI NEGLI AMBIENTI INTERNI



Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)

STAINADVERSE


3 3 1 0
Moquettes tuffetées et tissées en lés
<http://evaluation.cstb.fr>
04/141/23

COSTRUZIONE	CONSTRUCTION	TECHNIQUE DE FABRICATION	HERSTELLUNGSVERFAHREN
TUFTING VELLUTO 1/10"	TUFTED CUT PILE 1/10"	TUFTED VELOURS 1/10"	GETUFTED VELOURS 1/10"
COMPOSIZIONE	COMPOSITION	COMPOSITION	POLNUTZSCHICHT
100% POLIAMMIDE	100% POLYAMID	100% POLYAMIDE	100% POLYAMID
SOTTOFONDO	SECONDARY BACKING	DOSSIER	RÜCKENAUSRÜSTUNG
JUTA SINTETICA	SYNTHETIC JUTE	JUTE SYNTHÉTIQUE	SDR TEXTILRUCKEN
PUNTI AL M²	STITCHES PER M²	TOUFFES AU M²	KNOTEN M²
± 177750	± 177750	± 177750	± 177750
ALTEZZA PELO	PILE HEIGHT	HAUTEUR DU VELOURS	POLHÖHE
± 6 mm	± 6 mm	± 6 mm	± 6 mm
ALTEZZA TOTALE	TOTAL HEIGHT	HAUTEUR TOTALE	GESAMTHÖHE
± 8.2 mm	± 8.2 mm	± 8.2 mm	± 8.2 mm
PESO FIBRA	YARN WEIGHT	POIDS DU VELOURS	POLGEWICHT
± 1150 g/m²	± 1150 g/m²	± 1150 g/m²	± 1150 g/m²
PESO TOTALE	TOTAL WEIGHT	POIDS TOTAL	GESAMTGEWICHT
± 2000 g/m²	± 2000 g/m²	± 2000 g/m²	± 2000 g/m²
LARGHEZZA ROTOLO	ROLL WIDTH	LARGEUR DU ROLEAU	BREITE
400 cm	400 cm	400 cm	400 cm
FAMIGLIA TUFTING 1	FAMIGLIA TUFTING 1	FAMIGLIA TUFTING 1	FAMIGLIA TUFTING 1



COMFORT: ★★★★★
BUSINESS WEARABILITY: ★★★
DOMESTIC WEARABILITY: ★★★

Colour fastness to light	≥ 5	Thermal resistance m2 K/W	≤ 0,17
Insulation impact noise ΔLw	30 dB	Body voltage walking test kV	≤ 2
Acoustical absorption α _w	0,20		



RADICI PIETRO INDUSTRIES & BRANDS S.P.A.

www.radicicarpet.it - info@radicicarpet.it - +39 035 724242

in f Radici Carpet @ radicicarpet